

From: [Faith Alkhatib](#)
To: [Craig Coffey](#)
Subject: Fwd: Proposal from ESI for Bunnell Sheriff's Office
Date: Thursday, June 7, 2018 5:46:55 PM

Sent from my iPhone

Faith Alkhatib

County Engineer

E: falkhatib@flaglercounty.org | V: 386-313-4045 x 4045 | W: www.flaglercounty.org



Flagler County Board of County Commissioners
1769 E. Moody Blvd., Bldg 2
Bunnell, FL 32110



Begin forwarded message:

From: Zdenek Hejzlar <wesystems@engsys.com>
Date: June 7, 2018 at 5:11:53 PM EDT
To: Faith Alkhatib <falkhatib@flaglercounty.org>
Cc: Derrek Verlaan <dgverlaan@engsys.com>, Connie Nordlund <cbnordlund@engsys.com>
Subject: Re: Proposal from ESI for Bunnell Sheriff's Office

There is no problem with that request. We estimated 20 sample and we can check that with one of them as long as we have a witness that can testify that we did not tamper with evidence except for running the test. Another choice is to send small sample as bulk sample to the lab for bulk analysis. The run around \$ 35 for microscopic analysis. We can make that decision when we get there and all parties agree on a best way. I can check with the lab what special molds they can check for. ESI analysis does not speciate - it detects all mold biomass (that means -everything mold -spores hyphae, fragments, viable or dead.

Zdenek (Zed) Hejzlar PhD, CSP

Senior Managing Consultant

p: (239) 482 0500 m: (239) 898-8106 f: (239) 482-2941

<http://www.engsys.com/>

On Jun 7, 2018, at 4:29 PM, Faith Alkhatib <falkhatib@flaglercounty.org> wrote:

One more new information.

Sent from my iPhone

Faith Alkhatib

County Engineer

E: falkhatib@flaglercounty.org | V: 386-313-4045 x 4045 |

W: www.flaglercounty.org

Flagler County Board of County Commissioners

1769 E. Moody Blvd., Bldg 2
Bunnell, FL 32110

<FC_64d84372-
f45f-426c-bf8e-
5483f7fb02ec1.jpg>

<[Facebook_53b75898-4077-4710-9ef7-90b91eded6bc.jpg](#)> <[Twitter_98ad3bb1-12c7-4a39-9c64-da46ed019f6f1.jpg](#)> <[YouTube_d963d66b-900b-4938-bf46-9fdfb7d87cd91.jpg](#)> <[LinkedIn_28e84326-23ce-4ddf-bce0-3948920ee4581.jpg](#)>

Begin forwarded message:

From: Craig Coffey <ccoffey@flaglercounty.org>
Date: June 7, 2018 at 3:48:11 PM EDT
To: Faith Alkhatib <falkhatib@flaglercounty.org>
Subject: RE: Proposal from ESi for Bunnell Sheriff's Office

Faith, I want to test for mold on Marijuana. This mold has a special name. There was a evidence room deputy who had breathing problems while working in that room. Since being reassigned on the road has cleared up. They are saying if bad enough it could get into the blood as well. That might be something to be added to the scope. This issue if part of the problem is very fixable. Craig

Craig Coffey

County Administrator

E: ccoffey@flaglercounty.org | V: 386-313-4001 |

W: www.flaglercounty.org

Flagler County Board of County Commissioners

1769 E. Moody Blvd., Bldg #2

Bunnell, FL 32110

<FC_64d84372-
f45f-426c-bf8e-
5483f7fb02ec1.jpg>

<[Facebook_53b75898-4077-4710-9ef7-90b91eded6bc.jpg](#)> <[Twitter_98ad3bb1-12c7-4a39-9c64-da46ed019f6f1.jpg](#)> <[YouTube_d963d66b-900b-4938-bf46-9fdb7d87cd91.jpg](#)> <[LinkedIn_28e84326-23ce-4ddf-bce0-3948920ee4581.jpg](#)>

From: Faith Alkhatib

Sent: Thursday, June 7, 2018 2:06 PM

To: Craig Coffey <ccoffey@flaglercounty.org>

Subject: Fwd: Proposal from ESI for Bunnell Sheriff's Office

Sent from my iPhone

Faith Alkhatib

County Engineer

E: falkhatib@flaglercounty.org | V: 386-313-4045 x 4045 |

W: www.flaglercounty.org

Flagler County Board of County Commissioners

1769 E. Moody Blvd., Bldg 2

Bunnell, FL 32110

<image001.jpg>

<[image002.jpg](#)> <[image003.jpg](#)> <[image004.jpg](#)> <[image005.jpg](#)>

Begin forwarded message:

From: "Connie Nordlund" <cbnordlund@engsys.com>

To: "Faith Alkhatib" <falkhatib@flaglercounty.org>

Cc: "Zdenek Hejzlar" <wesystems@engsys.com>, "Derrek Verlaan" <dgverlaan@engsys.com>

Subject: RE: Proposal from ESI for Bunnell Sheriff's Office

Dr. Hejzlar modified the most recent proposal slightly and asked that I re-send to you for submittal. Please discard Phase II proposal from yesterday and use this one (attached) in its place.

Thank you again,

Connie

From: Connie Nordlund
Sent: Wednesday, June 06, 2018 1:28 PM
To: 'falkhatib@flaglercounty.org'
<falkhatib@flaglercounty.org>
Cc: Zdenek Hejzlar <wesystems@engsys.com>; Derrek Verlaan <dgverlaan@engsys.com>
Subject: RE: Proposal from ESI for Bunnell Sheriff's Office

Hello again Ms. Alkhatib,

Per request from Dr. Hejzlar, please find the Phase 2 Proposal attached to this email for your perusal.

Regards,
Connie

From: Connie Nordlund
Sent: Wednesday, May 23, 2018 2:06 PM
To: falkhatib@flaglercounty.org
Cc: Zdenek Hejzlar <wesystems@engsys.com>; Derrek Verlaan <dgverlaan@engsys.com>
Subject: Proposal from ESI for Bunnell Sheriff's Office

Good afternoon Ms. Alkhatib,

Please find the proposal Zed Hejzlar and Derrek Verlaan prepared attached to this email for your review.

If you need anything else, please contact me or Zed (copied) at your convenience.

Thank you,
Connie

CONNIE NORDLUND
Administrative Assistant

p: (239) 482-0500 d: (239) 210-6815 f: (239) 482-2941

<http://www.engsys.com/>

PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from the Flagler County Board of County Commissioners and employees regarding public business are public records available to the public and media upon request. Your e-mail communications may be subject to public disclosure.